ELSEVIER

Volume 289 Numbers 1–2, 20 July 1999

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Highly oriented hexagonal hydride phase formation in single phase Ti_3Al by cathodic charging L1
D. Sornadurai, B.K. Panigrahi, V.S. Sastry (Kalpakkam, India), Ramani (Bangalore, India)

High energy ball milling of $(Zr,La)(V,Ni)_{2.25}$ under hydrogen L6
W. Rajewski, W. Majchrzycki, M. Jurczyk (Poznań, Poland)

New ternary compounds with CeFeSi-type structure (LuTiSi, LuTiGe) and CeScSi-type structure (ZrVGe and HfVGe) L10
A.V. Morozkin (Moscow, Russia)

Physics

Theoretical study of the structural properties and thermodynamic stability of the omega phase in the 4d-transition series 1
J.E. Garcés, G.B. Grad, A. Fernández Guillermet, S.J. Sferco (Bariloche and Santa Fe, Argentina)

Evidence for an isostructural phase transition in the metastable high-temperature modification of TbPdAl 11
A. Dönni (Niigata, Japan), H. Kitazawa (Ibaraki, Japan), P. Fischer, F. Fauth (Villigen, Switzerland)

Magnetovolume properties of $Y_2Fe_{17-x}M_x$ alloys (M=Si or Al) 18
A.G. Kuchin, I.V. Medvedeva, V.S. Gaviko, V.A. Kazantsev (Ekaterinburg, Russia)

High-pressure study of titanium carbide 24
N.A. Dubrovinskaia, L.S. Dubrovinsky, S.K. Saxena, R. Ahuja, B. Johansson (Uppsala, Sweden)

Crystal and exchange fields in $SmCo_5$ studied by inelastic neutron scattering 28
P. Tils, M. Loewenhaupt (Dresden, Germany), K.H.J. Buschow (Amsterdam, The Netherlands), R.S. Eccleston (Didcot, UK)

Crystal structure of the heavy-fermion compound UCu_5Sn 32
J. Stępień-Damm (Wrocław, Poland), V. Zaremba (L'viv, Ukraine), V.H. Tran, R. Troć (Wrocław, Poland)

Chemistry

Mössbauer study of vacancies in natural pyrrhotite 36
J.W.A. Kondoro (Dar-Es-Salaam, Tanzania)

Synthesis and high temperature X-ray diffraction studies on the perovskite $SrLaMnRuO_6$ 42
T. Horikubi, T. Mori, H. Nonobe, N. Kamegashira (Toyohashi, Japan)

Phase composition and crystal structure of $(La_{2-y}Nd_y)_{1-x/2}Sr_{1+x}Cu_2O_6$ $(0 \leqslant x \leqslant 1;\ 0 \leqslant y \leqslant 2)$ 48
H. Deng, C. Dong (Beijing, P.R. China), J.C. Shen (Hubei, P.R. China), H. Chen, F. Wu, Y.R. Zhou (Beijing, P.R. China)

Mechanochemical synthesis of ferroferriborate (vonsenite, Fe_3BO_5) and magnesium ferroferriborate (ludwigite, Fe_2MgBO_5) . . 55
I. Mitov, Z. Cherkezova-Zheleva, V. Mitrov, B. Kunev (Sofia, Bulgaria)

Hydrogen behavior in the La–Mg–Cu system 66
K. Kadir, H. Tanaka, T. Sakai, I. Uehara (Osaka, Japan)

Localization of Eu^{3+} in $KGd_{1.9}Eu_{0.1}F_7$ and $KGd_{1.9}Eu_{0.1}F_{6.97}O_{0.015}$ by site-selective excitation and time-resolved spectroscopy 71
A. Pierrard, P. Gredin, N. Dupont, A. de Kozak (Paris, France), B. Piriou (Chatenay-Malabry, France)

Metallurgy

δ' precipitation in Al–9.7at%Li alloy using small-angle X-ray scattering 81
C.-S. Tsao, T.-L. Lin (Hsinchu, Taiwan), M.-S. Yu (Lungtan, Taiwan)

Thermodynamic assessment of the Cu–La system 88
Z. Du, Y. Xu, W. Zhang (Beijing, P.R. China)

Phase equilibria in the ternary system Pr–Co–B 96
Y. Chen (Beijing, P.R. China), J. Liang (Beijing and Shengyang, P.R. China), X. Chen, Q. Liu (Beijing, P.R. China)

Elsevier Science S.A.

Study of the Ag–In–Te ternary system. II. Description of the quadrilateral Ag–Ag_2Te–In_2Te_3–In 99
Z. Bahari, J. Rivet (Paris, France), B. Legendre (Châtenay-Malabry, France), J. Dugué (Paris, France)

Hexagonal Y_3Ge_5 with a new AlB_2 derivative structure 116
G. Venturini, I. Ijjaali, B. Malaman (Vandoeuvre les Nancy, France)

Regularities of formation of ternary intermetallic compounds. Part 1. Ternary intermetallic compounds between nontransition elements 120
C. Nianyi, L. Wencong, C. Ruiliang, Q. Pei (Shanghai, China), P. Villars (Vitznau, Switzerland)

Regularities of formation of ternary intermetallic compounds. Part 2. Ternary compounds between transition elements 126
C. Nianyi, L. Wencong, Q. Pei, C. Ruiliang (Shanghai, P.R. China), P. Villars (Vitznau, Switzerland)

Regularities of formation of ternary intermetallic compounds. Part 3. Ternary compounds between one nontransition element and two transition elements 131
L. Wencong, C. Nianyi, L. Chonghe, Q. Pei, C. Ruiliang, Y. Lixiu (Shanghai, P.R. China), T. Lu (LA, USA)

A Mössbauer effect investigation of the Li–Sn system 135
R.A. Dunlap, D.A. Small, D.D. MacNeil, M.N. Obrovac, J.R. Dahn (Halifax, NS, Canada)

Crystal structure of TbCoSi 143
B. Belan (L'viv, Ukraine), J. Stępień-Damm (Wrocław, Poland)

The enthalpy of formation and the heat capacity of liquid Cu–La–Ni alloys 145
S.H. Zhou, F. Sommer (Stuttgart, Germany)

Thermodynamics of liquid Al–Ni–Zr and Al–Cu–Ni–Zr alloys 152
V.T. Witusiewicz, F. Sommer (Stuttgart, Germany)

New ordered $ThSi_2$-type derivatives in the light rare earths germanides. Crystal structure of Nd_4Ge_7 168
G. Venturini, I. Ijjaali, B. Malaman (Vandoeuvre les Nancy, France)

Isothermal section of the phase diagram of the ternary system Co–Pr–Si at 500°C 178
L. Jingqi, W. Xiangzhong (Nanning, P.R. China)

The compounds $Ln(Ag_{0.7}Al_{0.3})_5$ (Ln–Pr, Nd, Sm) and their crystal structure 181
O.V. Zhak, Yu.B. Kuz'ma, B.M. Stel'makhovych (L'viv, Ukraine)

Melting zone technique as a tool for a combinatorial approach in material science. I. Application to Al–Co alloys 185
M.Th. Cohen-Adad (Villeurbanne, France), M. Gharbi (El Ouardia, Tunisia), C. Goutaudier, R. Cohen-Adad (Villeurbanne, France)

Materials Science

Synergy of hydrogen sorption in ball-milled hydrides of Mg and Mg_2Ni 197
A. Zaluska, L. Zaluski, J.O. Ström-Olsen (Montréal, Canada)

The thermodynamic parameters for the $LaNi_{5-x}Al_x$–H_2 and $MmNi_{5-x}Al_x$–H_2 systems 207
T. Kodama (Hyogo, Japan)

Gaseous interactions with Sm–Fe and Sm–Fe–Ta intermetallic alloys 213
K. Žužek, P.J. McGuiness, S. Kobe (Ljubljana, Slovenia)

Spinning phenomena, structure and magnetic properties of Fe–6.5 mass% Si alloy fiber produced by the in-rotating-liquid-spinning process 220
Y. Ono (Yokohama, Japan), T. Ichiryu (Osaka, Japan), I. Ohnaka, I. Yamauchi (Suita, Japan)

Formation, structure and magnetic properties of $TbFe_{12-x}Nb_x$ compounds 228
J.L. Wang, B. Fuquan (Beijing, P.R. China), N. Tang (Beijing, P.R. China and Amsterdam, The Netherlands), D. Yang, Y.P. Shen, C.P. Yang, F.M. Yang, (Beijing, P.R. China), F.R. de Boer (Amsterdam, The Netherlands)

Phase diagrams of II–VI/III–VI solid solutions with ordering tendencies 233
V. Leute, D. Weitze, A. Zeppenfeld (Münster, Germany)

Hydrogen storage characteristics of Ti–Zr–Cr–V alloys 244
S.-W. Cho (Kwangju, South Korea), C.-S. Han, C.-N. Park (Kwangju, South Korea), E. Akiba (Ibaraki, Japan)

Structure and electrochemical properties of $LaCo_{13-x}Ni_x$ compounds 251
J. Wu, R. Li, H. Su, X. Wang (Beijing, P.R. China)

Phase equilibria, and electrical properties of compounds in the system MgO–La_2O_3–TiO_2 at 1200°C 257
Z. Chaogui, W. Shuangyan, L. Fuhui, T. Shujian, L. Guobao (Beijing, P.R. China)

Superconducting properties of solid solutions $(\underline{Mo_6Se_8})Pb_x$ and $Pb_xMo_6Se_8$ in the ternary system Pb–Mo–Se 260
A. Corrignan, C. Hamard, O. Peña (Rennes, France)

Bonded Sm–Fe–(Ta)–N materials produced via attritor milling and HDDR 265
K. Žužek, P.J. McGuiness, S. Kobe (Ljubljana, Slovenia)

Nanostructure and phase distributions in $(Cu_{0.80}Fe_{0.20})_{100-x}B_x$ melt spun ribbons studied by Mössbauer spectroscopy 270
V. Kuncser (Bucharest-Magurele, Romania), M. Rosenberg (Bochum, Germany), A.R. Yavari (Grenoble, France), G. Filoti (Bucharest–Magurele, Romania)

Production process of grain orientation-controlled Fe–6.5 mass% Si alloy fiber using spinning in gas atmosphere followed by winding in rotating liquid 277
Y. Ono (Yokohama, Japan), T. Ichiryu (Osaka, Japan), I. Ohnaka, I. Yamauchi (Suita, Japan)

Dislocation pileups in nanocrystalline materials 285
W. Qin (Changsha and Nanning, P.R. China), Z. Chen, P. Huang (Changsha, P.R. China), Y. Zhuang (Nanning, P.R. China)

X-ray diffraction and microstructural study of PFM precious metal dental alloys under different metallurgical conditions 289
M.R. Pinasco, E. Cordano, M. Giovannini (Genova, Italy)

Studies on cobalt-free AB_5-type hydrogen storage alloys 299
W.-k. Hu (Stockholm, Sweden)

Hydrogen isotope absorption in $Zr(Mn_{0.5}Fe_{0.5})_2$ 306
S. Fukada, Y. Toyoshima (Fukuoka, Japan)

Author Index of Volume 289 311

Subject Index of Volume 289 313

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**